



MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Estes Model Rocket Igniter	
PRODUCT NUMBER:	
TRADE NAME: Estes Model Rocket Igniter GENERAL USE: Model Rocket Ignition CHEMICAL FAMILY: Insensitive Explosive / Oxidizer Mix PRODUCT DESCRIPTION: Vee-shaped device made of two chrome-colored wires approximately two inches (5 cm) long with a black tip of pyrogen. Wires may be spanned with tape. No odor..	
MANUFACTURED FOR: Estes-Cox Corp. d/b/a Estes Industries	DATE PREPARED: January 7, 2011 SUPERSEDES: August 5, 2010
ADDRESS (NUMBER, STREET, P.O. BOX) P.O. Box 227, 1295 H Street	TELEPHONE NUMBER FOR GENERAL INFORMATION 719-372-6565
(CITY, STATE AND ZIP CODE) COUNTRY Penrose. CO 81240 USA	CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER  1-800-255-3924 01-813-248-0585 North America Toll Free International

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW
WARNING! THIS DEVICE CONTAINS A SMALL IGNITING CHARGE. KEEP AWAY FROM FIRE AND HEAT SOURCES. SEVERE MECHANICAL IMPACT MAY DEFORM PRODUCT. Individual igniters may ignite if the unit is exposed to extreme heat as seen with fire conditions. Oxides of Nitrogen and Carbon, may be formed. Keep out of the reach of young children and pets. Adult supervision is strongly encouraged when product is used, especially by young children. Product contents are harmful by ingestion. Thermal burns may result from touching product during use.
POTENTIAL HEALTH EFFECTS
INHALATION: Normal handling of the unused product poses no exposure hazards. When the product is used, particles and vapors may be generated which may cause temporary slight irritation to the respiratory tract; this is a rare occurrence when the product is used as directed..
SKIN: Unlikely to cause irritation to skin. Touching product while in use (igniting) may cause thermal burns.
EYES: Unlikely to cause irritation to eyes; In unusual cases, particulates from used product may cause irritation.
INGESTION: Ingestion of product is highly unlikely. Components of product are harmful and will cause irritation to gastro-intestinal tract.
CARCINOGENICITY: No listings.

SECTION 3 - HAZARDOUS INGREDIENTS

Hazardous Components	% (wt)	CAS #	EINECS #	EU Hazard Symbol(s)	EU RISK PHRASES (Full Text Sections 15 & 16)
Potassium nitrate	NR	7757-79-1	231-818-8	Xn, O	R8, R36/37/38
Carbon	NR	7440-44-0	231-153-3	None	None
Cornstarch	NR	9005-25-8	232-679-6	None	None
Hide Glue	NR	NA	NA	None	None

NOTES: This Material Safety Data Sheet is prepared to comply with the United States Occupational Safety and Health Administration (OSHA) Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS), and European Union Directives. Hazard symbols and risk phrases are based on maximum listed concentration of each hazardous ingredient. Unlisted ingredients are not "hazardous" per the OSHA Hazard Communication Standard (29 CFR 1910.1200), the Canadian Workplace Hazardous Materials Information System (WHMIS) or the European (GHS) directives and are considered trade secrets under US Federal Law (29CFR and 40CFR), Canadian Law (Health Canada Legislation), and European Union Directives.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Estes Model Rocket Igniter

PRODUCT NUMBER:

SECTION 4 - FIRST AID MEASURES

INHALATION:

If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure area to fresh air immediately. Get medical attention in the unusual event of severe distress.

EYES:

Remove contact lenses, then wash for 15 minutes with clean potable water lifting upper and lower lids occasionally. Seek medical attention if irritation persists.

SKIN:

Wash with plenty of soap and water; seek treatment for any thermal burns. Seek medical attention if delayed dermatitis develops (a rare condition).

INGESTION:

Contact medical authorities immediately. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs naturally, have victim lean forward to avoid aspiration of regurgitant. Give 1-2 glasses of water to victim if victim is conscious and able to swallow and seek immediate medical assistance. Never give anything by mouth to an unconscious person. **Note to Physician: This product contains small amounts of nitrates, which may produce methemoglobinemia. Methylene blue may be required for treatment in unusual cases. Treatment should be aimed at reducing methemoglobin levels, as well as providing respiratory and metabolic support.**

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:

Flammability Classification: (defined by 29 CFR 1910.1200) Class 1.4 Explosive. Can rapidly burn under fire conditions. Individual devices will randomly burn and. Product will not mass explode if multiple devices are involved. Burning material may produce toxic and irritating vapors. See Emergency Response Guidebook for further information. Mechanical impacts are highly unlikely to cause product to ignite, but strong electrical currents may cause ignition in unusual situations.

EXTINGUISHING MEDIA:

Where large quantities are affected, flood area with water; if fire is already consuming product, incident command should base fire-fighting decisions on capabilities and total quantity of product. If no water is available, carbon dioxide, dry chemical or earth may be used

FIRE FIGHTING PROCEDURES:

In case of fire, use normal fire fighting equipment. Protection concerns must also address the potential of the physical characteristic of this product as explosive. Quarantine area for fires involving igniters plus large quantities of engines

UNUSUAL FIRE AND EXPLOSION HAZARDS:

If fire reaches a large quantity of product that is co-located with engines, consider a withdrawal of personnel to a safe distance. Evacuate all persons, including emergency responders from the area for at least 500 feet (1/10 mile) in all directions.

HAZARDOUS COMBUSTION PRODUCTS:

Carbon Monoxide, Carbon Dioxide, Nitrous Oxides

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Model rocket igniters are devices in a solid state. Simply pick up and place in containers approved for storage and transport. Wipe up any dust with wet cloths. **IF PRODUCT IS DAMAGED, DO NOT USE PRODUCT; DISCARD IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. SEE SECTION 13.**

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:

HANDLING: Product may burn if exposed to extreme heat. Do not smoke while handling product. **DO NOT ATTEMPT TO DISMANTLE PRODUCT!!**



STORAGE: Avoid storage near extreme heat, ignition sources or open flame. Store at 32° - 140° F (0°-60° C). Store away from living quarters.

CONDITIONS TO AVOID: Heat/flame/sparks, Severe mechanical impact (which may deform product, rendering it unsafe for use) .

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Estes Model Rocket Igniter			
PRODUCT NUMBER:			
SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION			
Hazardous Components	CAS #	ACGIH Exposure Limits	OSHA Exposure Limits
Potassium nitrate	7757-79-1	NE	NE
Carbon	7440-44-0	2 mg/m3	2.5 mg/m3 (respirable dust)
Cornstarch	9005-25-8	NE	5 mg/m3 (respirable nuisance dust)
Hide Glue	NA	NE	NE
PERSONAL PROTECTION			
RESPIRATORY PROTECTION: A vapor respirator may be advisable or required under emergency conditions.			
PROTECTIVE GLOVES: None generally required.			
EYE PROTECTION: Always follow the National Association of Rocketry (NAR) Model Rocketry Safety Code and all applicable laws and regulations.			
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Not required when product is used as directed by manufacturer.			
WORK / HYGIENIC PRACTICES: Avoid breathing fumes from ignition. Do not smoke while handling product; eating and drinking are also to be avoided.			
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES			
DESCRIPTION: Vee-shaped wire device - no odor. See Notes.		CONDITIONS TO AVOID: Not applicable.	
pH Not applicable.		SPECIFIC GRAVITY (WATER = 1) Not applicable	
MELTING POINT Not applicable.		SOLUBILITY IN WATER Insoluble - some components are soluble in water	
FLASH POINT Not applicable.		VISCOSITY Not applicable	
FLAMMABLE LIMITS LEL: None UEL: None		VAPOR DENSITY (AIR = 1) Not applicable.	
AUTOIGNITION TEMPERATURE NR		EVAPORATION RATE (WATER = 1) Not applicable.	
VOLATILE ORGANIC COMPOUND (VOC) INFORMATION Not applicable.			
NOTES: Vee-shaped device made of two chrome-colored wires approximately two inches (5 cm) long with a black tip of pyrogen. Wires may be spanned with tape. No odor.			
SECTION 10 - STABILITY AND REACTIVITY			
STABILITY: Stable under normal temperatures and pressure.		CONDITIONS TO AVOID: Extreme heat; extreme mechanical impacts, strong electrical currents.	
INCOMPATIBILITY (MATERIALS TO AVOID): Acids, Class A & B explosives, strong oxidizers. Combustible or flammable liquids			
HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon Monoxide, Carbon Dioxide, Nitrous Oxides under fire conditions only.			
HAZARDOUS POLYMERIZATION: Will not occur.		CONDITIONS TO AVOID: None related to polymerization.	
SECTION 11 - TOXICOLOGICAL INFORMATION			
Complete Product			
Oral LD₅₀	Product contents are harmful; ingestion of product by humans is unlikely.		
Dermal LD₅₀	Product is unlikely to cause skin irritation. Thermal burns may occur from handling product during use.		
Inhalation LC₅₀	Unused product is harmless. Vapors/particles from ignited product may be irritating.		
Irritation	Not a skin or eye irritant in unused form. Particulates and vapors from ignited product are possibly irritating to eyes and respiratory system in unusual cases.		

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Estes Model Rocket Igniter			
PRODUCT NUMBER:			
SECTION 11 - TOXICOLOGICAL INFORMATION Continued			
Product Components			
Hazardous Components	CAS #	LD50 of Ingredient (Oral, Rat - unless otherwise specified)	LC50 of Ingredient (Inhalation, Rat - unless otherwise specified)
Potassium nitrate	7757-79-1	Not Established	Not Established
Carbon	7440-44-0	Not Established	Not Established
Cornstarch	9005-25-8	Not Established	Not Established
Hide Glue	NA	Not Established	Not Established
SECTION 12 - ECOLOGICAL INFORMATION			
No data is available on this product, but both unused and used igniters may be harmful if ingested by animals. Collection and careful disposal of spent igniters is highly advisable; simply discard with normal trash.			
SECTION 13 - DISPOSAL CONSIDERATIONS			
WASTE DISPOSAL METHOD:			
The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous. Damaged materials may pose a danger. To dispose of a small quantity of product, soak in water for at least 5 minutes, then dispose of remnants in an ordinary manner. Optionally, simply fire igniter and discard (do not hold igniter during firing). For large quantities, incineration in a licensed facility is preferable.			
SECTION 14 - TRANSPORT INFORMATION			
DOMESTIC SHIPPING WITHIN THE USA			
PROPER SHIPPING NAME: Flammable solid, organic, n.o.s. (Model rocket kits containing motors with or without un-installed igniters), UN 1325, Div. 4.1, PG II (CARGO AIRCRAFT ONLY if shipped by air)			
DOT HAZARD CLASS / Pack Group: Class 4.1 / PG II		UN / NA IDENTIFICATION NUMBER: UN1325 or UN0454	
REFERENCE: DOT SP-7887		NOTES: Shipped via the United States Postal Service via Surface Mail Only as: Toy Propellant Devices, NA 0454, Class 1.4S/ PG II.	
LABEL: Flammable Solid or Explosives 1.4S			
HAZARD SYMBOLS: See notes for correct symbols			
INTERNATIONAL SHIPPING			
PROPER SHIPPING NAME: Igniter, UN 0454, Div. 1.4S, PG II			
IMDG HAZARD CLASS / Pack Group: Class 1.4S (Category 05) EmS: F-B, S-X			
IATA HAZARD CLASS / Pack Group: Class 1.4S / PG II PG II (See Notes)			
RID/ADR HAZARD CLASS / Pack Group: Class 1.4S / PG II PG II, EAC=1Z			
TDG (Canada) HAZARD CLASS / Pack Group: Class 1.4S / PG II PG II			
REFERENCE: IMDG, IATA, RID/ADR, TDG		UN / NA IDENTIFICATION NUMBER: UN 0454	
LABEL: Explosive, Class 1.4S		NOTES: For igniters Not Contained in Engines and shipped under UN 0454, 25kg is the maximum load for passenger aircraft, 100 kg is the maximum for CAO.	
HAZARD SYMBOLS:			
			
			
<p>Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, EU, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping.</p>			

